



科技提升绿色未来



KLT20B



适用于单面 / 双面托盘

# 产品特点

## 产品简介

- ◎ 机械转向，手把式操作
- ◎ 卧式驱动，驱动轮为可拆卸式更换轮子极为方便
- ◎ 科力专用控制器、ALBRIGHT接触器、AMP防水电源接插件
- ◎ 电磁式离合器失电刹车、再生制动、反接制动、坡道防下滑制动等多重制动功能
- ◎ 锂电

## 可选配置

- ◎ 冷库专用型
- ◎ 宽腿型定制
- ◎ 货叉加长定制

# 产品参数

	MODEL (型号)		KLT20B	KLT25B	KLT30B
Performance (性能)	Maximum load capacity (负载能力)	kg	2000	2500	3000
	load center (载荷中心距)	Q mm	600	600	600
	Maximum lifting height (起升高度)	H3 mm	105	120	120
	Travel speed (without load) (无负载行驶速度)	km/h	3	5.5	5.5
	Travel speed (with load) (负载行驶速度)	km/h	2.5	5	5
	Lifting speed (without load) (无负载起升速度)	mm/s	45	25	25
	Lifting speed (with load) (负载起升速度)	mm/s	35	20	20
	Lowering speed (without load) (无负载下降速度)	mm/s	40	25	25
	Lowering speed (with load) (负载下降速度)	mm/s	50	40	40
	Gradeability (without load) (无负载最大爬坡能力)	%	7	7	7
	Gradeability (with load) (负载最大爬坡能力)	%	5	5	5
	Service Weight (with battery) (重量含电池)	kg	335	365	365
Dimensions (尺寸)	Overall length of frame (整车长度)	L mm	1630	1780	1780
	Overall length of frame(with platform)(整车长度带踏板)	mm	\	\	\
	Overall width of frame (整车宽度)	B mm	680	680	680
	Wheelbase (轴距)	Y mm	1265	1358	1358
	Fork length (货叉长度)	mm	1150	1150	1150
	Fork outside width (货叉外侧宽度)	B1 mm	680	680	680
	Fork inside width (货叉内侧宽度)	B2 mm	360	340	340
	Fork thickness (货叉厚度)	mm	54	50	50
	Fork height when fork lowered to lowest (货叉降至最低高度)	S mm	85	85	85
	Min ground clearance(最小离地间隙)	mm	5	5	5
	Theoretical width of minimum aisle for right-angle stacking (1200x1000) (直角堆垛通道最小理论宽度)	Asts mm	2115	2150	2150
	Minimum turning radius (without platform) (不带踏板最小转弯半径)	Wa mm	1440	1570	1570
Minimum turning radius (with platform) (带踏板最小转弯半径)	Wa1 mm	\	\	\	
Tire (轮胎)	Front wheel (承载轮)	mm	80*70	80*70	80*70
	Drive wheel (驱动轮)	mm	210*75	210*75	210*75
	Caster wheel (平衡轮)	mm	70*50	75*50	75*50
	Wheel material (车轮类型)		polyurethane (聚氨酯)		
Electrical components (动力形式)	Drive motor type (驱动电机类型)		DC series motor (直流电机)		
	Rated output (功率)	kw	0.8	1.2	1.2
	Hoist motor type (起升电机类型)		DC series motor (直流电机)		
battery (电池)	Rated output (功率)	kw	0.75	1.2	1.2
	Voltage (电压)	V	48	48	48
	Capacity (容量)	AH	30	50	50
	Weight (重量)	kg	15	15	15

# 二维线图

